Subject: Re: IDLWAVE Mac OS X Posted by Karsten Rodenacker on Wed, 12 Jul 2006 10:04:09 GMT View Forum Message <> Reply to Message

Try to open a Terminal app and type open -a /Applications/Utilities/X11.app export DISPLAY=:0.0 emacs ttt.pro ^C^S in ttt.pro should bring up the second buffer with IDL!

Regards KR

Am Wed, 12 Jul 2006 10:00:52 +0200 schrieb jgc <javier_corripio@yahoo.fr>:

> Hi there, >

>

>

- This is a question for a non-computer expert. I am sorry but if you
- > are an expert, I believe your good intentions, but you will shower me
- > with a megaton of computer bablespeak that I will be unable to
- understand, even if I ca read Sanskrit backwards)
- Has any of you idlwave running smoothly on a Mac OS X?
- Idlde in X11 deserves the price of MrMs universe ugliest and greyest, so I am trying idlwave.
- > > I get emacs to recognise idl .pro files, and it attempt to show the idl
- > toolbars, but then, everything dissapear, when I invogue the idl shell
- > (or C-c C-s) two terminals open up separately, no inside buffer on
- > emacs. I wonder if you will be willing to share some hints on the
- > instruccions in your .emacs file, how many .emacs and .profiles and
- where (where by default, I know that you can customise everything).
- > It looks to me that macs are rather pseudo-unix, and idl for macs does
- > not run with /../../bin/idl
- > but rather with /applcations/rsi/idl_6.2/idl.app, which seems to be in
- > rather bad terms with emacs
- > Many many thanks in advance for your answer, and many thanks to the
- > cube if it is in plain English.
- Javier >

>

Page 2 of 2 ---- Generated from comp.lang.idl-pvwave archive