
Subject: Re: Code cluttered with 'STRTRIM(variable,2)' ?
Posted by [zawodny](#) on Thu, 14 Sep 1995 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Russ Welti <rwelti@chroma.mbt.washington.edu> writes:

```
>
> A nit that has plagued me since day 1 in IDL is:
>
> What is the best way to formulate strings which contain
> variables' values without getting all cluttered up with
> strtrim(variable,2) ?? This really uglifies my code.
>
> Example:
>
>> msg=$
>> 'Warning: '+strtrim(n_sizes,2)+' size combinations fitted against '+$
>      strtrim(n_peaks,2)+' peak combinations means '+ $
>      strtrim(n_sizes*n_peaks,2)+' individual curve fits will be done.'
>> print,msg
```

I agree with your concept. IDL should be able to autoconvert variables to the appropriate type. In fact it does this all the time in mathematical and logical expressions such as `a = 1.+2`, `a` will be real. IDL convert variables of different types to the same type (according to certain rules used to establish priority) before doing the math.

To see what is going on in the example above, I did a brief test.

```
IDL> print,'test '+1
% Type conversion error: Unable to convert given STRING to Integer.
% Detected at: $MAIN$
1
```

This tells me that IDL was trying to convert the string to an integer rather than the integer to the string. The logic for the test of a type mismatch is already in IDL, it just tried to do the "wrong" conversion. I would think that in the case of a variable type mismatch involving strings that IDL should default to converting everything to string type and that it should be done in the same manner as a `STRTRIM(var,2)` call would do. Perhaps there are others out there who would prefer the other type of behavior. Is the default of converting strings to numbers an artifact of the need to do such a thing during the reading of an ASCII file? If so, could we (you - RSI) separate the two processes and thereby make `STRTRIM` nearly obsolete?

Thoughts, comments, or corrections?

--

Dr. Joseph M. Zawodny KO4LW
E-mail: J.M.Zawodny@LaRC.NASA.gov

NASA Langley Research Center
MS-475, Hampton VA, 23681-0001
