
Subject: Re: @make vs command line for creating .sav files.
Posted by [David Fanning](#) on Thu, 21 Sep 2006 17:33:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

Allan Whiteford writes:

>
> I'm not sure if this is the correct behaviour or not (one would suspect
> not since David found a different behaviour on windows).

Actually, this fails on Windows, too, if I set the problem
up as described in Matt's first post. :-(

> The pragmatic solution is, I guess, to rebuild your path or manually
> call your startup file after the .reset_session.

I've tried running my startup file directly after the .RESET
and that doesn't help either. Something weird is going on
here. I can't even set the !PATH and get it to work!

Here is my file fake_save.pro:

```
.reset_session
!path = !path + "c:\RS\DAVID\TEST"
!path = expand_path( !path )
.compile fake_needs
resolve_all
```

And here is the result:

```
IDL> @fake_save
Compiled module: FAKE_NEEDS.
Compiled module: RESOLVE_ALL.
Attempt to call undefined procedure/function: 'FAKE_ROUTINE'.
Error occurred at: RESOLVE_ALL_BODY 288 C:\RS\IDL62\lib
\resolve_all.pro
      RESOLVE_ALL      347 C:\RS\IDL62\lib
\resolve_all.pro
      $MAIN$
Execution halted at: $MAIN$
```

Don't know. :-(

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Sepore ma de ni thui. ("Perhaps thou speakest truth.")
