Subject: Re: How to deal with this error while using MAKE DLL? Posted by Karl Schultz on Tue, 26 Sep 2006 17:35:15 GMT

View Forum Message <> Reply to Message

On Tue, 26 Sep 2006 08:01:48 -0700, Hongkai wrote:

```
> I was trying to use the function MAKE_DLL to build a .dll file from .c
> file, but an error was encountered:
> 'cl' is not internal or external command, and is not .exe file or .bat
> file either.
> cl -D_DLL -DMSWIN -DWIN32 -D_MT /nologo /I"C:\RSI\IDL62
> \external\include" /c
> "C:\RSI\IDL62\external\call_external\C\incr_struct.c"
> /Fo"incr_struct_3856_MICROSOF-5C334C.obj"
>
> To solve this problem, I queried the value of the system variable
> !MAKE DLL, the answer was as follows:
> !MAKE DLL.COMPILER NAME :
> 'Microsoft Visual C++ 7.0':
> !MAKE DLL.CC :
> 'cl %X -D_DLL -DMSWIN -DWIN32 -D_MT /nologo
> /I"C:\RSI\IDL62\external\include" /c %C /Fo%O'
>
> !MAKE DLL.LD :
> 'link /out:%L /nologo /nodefaultlib /dll %O /def:%E
  "C:\RSI\IDL62\bin\bin.x86\idl32.lib" msvcrt.lib kernel32.lib %X'
> However, the c comlier installed in my windows xp system is Microsoft
> Visual C++ 6.0, and I guess I need to change the value of !MAKE_DLL.CC
> and !MAKE_DLL.LD, but how to do this?
> Thanks!
```

The Microsoft compilers include in their distribution some scripts that add the compiler binary directories to your search path and set some other needed env vars. Look for something along the lines of VCVARS32.BAT in your compiler binary directory.

But just running the batch file in a shell won't do it since you'll be calling the compiler from the idlde application. You'll have to add the items that the BAT file adds in your Windows "Environment Variables". You could also hack the MAKE_DLL settings to do the same thing, but then those hacks are applicable only to your machine. I find it better to add the items to the Windows environment.

Page 2 of 2 ---- Generated from comp.lang.idl-pvwave archive