

Dominic writes:

```
> Is it possible to use RESOLVE_ROUTINE on a single procedure inside of a
> file? So, I ONLY want to resolve procedure bar but NOT foo.
>
> file: foo.pro:
>
> pro bar
>   print, "bar"
> end
>
> pro foo
>   print, "foo"
> end
```

I pondered this question as I cleared away the dishes from dinner tonight. And then suddenly it hit me! I've thought all along you were a Homeland Security agent, but now I see how wrong I was. You are a Zen priest, and these questions are koans for us! I apologize for not understanding sooner, Master.

I see now that each question is a progression deeper and deeper into the unconscious self. They force us to wrestle with words that cannot be spoken, and with thoughts that transcend thinking. Leading us toward the Mystery of all life.

In that sense, each posting here is a small poem, a sequence of questions similar to those asked by Pablo Neruda in The Book of Questions:

XXXV

Will our life not be a tunnel
between two vague clarities?

Or will it not be a clarity
between two dark triangles?

Or will life not be a fish
prepared to be a bird?

Will death consist of non-being

or of dangerous substances?

I thank you for your great kindness, Sir.

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Sepore ma de ni thui. ("Perhaps thou speakest truth.")
