Subject: Re: Histogram quickie Posted by Braedley on Sat, 09 Dec 2006 02:09:17 GMT View Forum Message <> Reply to Message

I was thinking the same thing. This never struck me as a histogram problem. Sure, there are some novel uses for histogram, but this isn't one of them. If the array needs to be sorted, and you need to retain the original array, and you want one bin to have the low values and the other to have the highs, then I can conceivably see a use for histogram in this problem, but it would be so convoluted that it wouldn't be worth it (you would still have to go through JD's process anyways). The only difference I'm going to suggest is to allow for the situation that I commented about:

t=randomu(seed, x) t=t[sort(t)] u=total(t, /cumulative) bin1=t[where(u le u[x-1]/2.0)] bin2=t[where(u gt u[x-1[/2.0)]

```
Braedley
JD Smith wrote:
> On Fri, 08 Dec 2006 12:55:56 -0600, Christopher Thom wrote:
>> Hi all,
>>
>> I'm a long time where() fan, but trying to learn to wield this histogram
>> beast. I'm working on an algorithm, and would like a way to divide an
>> array of values into two bins, such that the sum of each bin is roughly
>> equal. The values have no fixed distribution, so I expect the bin sizes to
>> be non-uniform.
>>
>> This sort of problem seems an ideal place to start earning my histogram
>> badge, but I have to confess to only being able to think of
>> brute-force-type solutions. Any suggestions?
>
> Probably WHERE will serve you well:
>
> IDL> t=total(a,/CUMULATIVE)
> IDL> bin1=where(t lt t[n_elements(a)-1]/2,COMPLEMENT=bin2)
>
> Of course, there are many ways to divide values such that they fall into
> two roughly equal bins (n choose 2), some of which may be better than
  others.
```

> JD