

---

Subject: Re: Random testing

Posted by [James Kuyper](#) on Tue, 02 Jan 2007 16:20:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Joshua wrote:

- > Does anybody know how to test
- > a binary mask for spatial randomness?
- > All I'm trying to do is see whether the 1's are spatially random
- > or systematic.

There is, inherently, no such thing as a yes-no test for randomness. In principle, quantum uncertainty is truly random, but nothing else in nature is. Quantum randomness can only be measured with real-world devices that introduce a certain amount of non-random noise; the measured result always has a certain amount of non-randomness, even if the thing being measured is truly random. So-called "random" number generators are more correctly known as "pseudo-random", because there's always an inherently deterministic algorithm behind them. For any finite set of data, there's always a non-random pattern that fits it, even if it is actually random.

The best that you can do is check for various specific types of non-randomness that might cause you problems. Try fitting the mask to various different models of patterns that you do not want to see in the mask, using methods that provide estimates of the statistical significance of the fit. If the data is truly random, the model parameters will tend not be statistically significant. However, if you test a sufficiently large number of different models, sooner or later you'll find one that appears to be a good match, even though the mask is truly random.

One thing I'd strongly recommend for a 2-D bit-mask, is to perform 2-D fourier transform of the mask. Peaks in the magnitude of the transform indicate auto-correlations with a corresponding lag. With truly random data, you shouldn't see any statistically significant peaks (except, of course, the one corresponding to a lag of (0,0)).

---