

---

Subject: SPAWN Problems under Windows

Posted by [aberte@gmail.com](mailto:aberte@gmail.com) on Fri, 05 Jan 2007 22:39:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi everybody,

here's my problem:

```
cmd = "D:\Media\Facu\Sistemi Telerilevamento Laboratorio\Progetto  
IDL\MapMatch\esequibili-test\normal\region_growing.exe " '
```

```
a = "D:\Media\Facu\Sistemi Telerilevamento Laboratorio\Progetto  
IDL\MapMatch\esequibili-test\normal\Image.raw " '
```

```
b = "D:\Media\Facu\Sistemi Telerilevamento Laboratorio\Progetto  
IDL\MapMatch\esequibili-test\normal\TrueObj.raw " '
```

```
c = "1024 " '
```

```
d = "1024 " '
```

```
e = "D:\Media\Facu\Sistemi Telerilevamento Laboratorio\Progetto  
IDL\MapMatch\esequibili-test\normal\seed.txt" '
```

```
f = "normal" '
```

I put complete path of files, because my routine is using them the way  
I declared here.

So i do the following:

```
params = a + b + c + d + e + f
```

```
spawn, cmd, /LOG_OUTPUT ; works!
```

```
spawn, [cmd,params], /LOG_OUTPUT ; does not work :(
```

Why? Is length of strings important?

(Another thing, I tried to do the following: all string, cmd + a + b  
+... I copied to a test.bat file, and run it directly from windows, and  
it worked)

---