
Subject: Re: Menu Hierarchy

Posted by [prahladvkumar](#) on Tue, 27 Mar 2007 08:36:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Mar 27, 10:59 am, David Fanning <n...@dfanning.com> wrote:

> prahladvku...@gmail.com writes:

>> I had created a base widget as

>

>> wbase = widget_base()

>

>> on this i have placed some objects like button and lable

>

>> wbutton = widget_button(wbase,uvalue = 'Text',value = 'Text')

>> wlabel = widget_button(wbase)

>

>> now when i click on wbutton ie., on Text button I shud get another

>> widget to collect some information from the user and come back to the

>> main base.

>

>> cbase = widget_base()

>> ctext = widget_text(cbase)

>

>> based on the text entered in teh text box by the user the lable has to

>> get updated.

>

>> please let me know the procedure in detail.

>

> I think what you want is a pop-up dialog widget.

> You can find the procedure in detail here:

>

> http://www.dfanning.com/widget_tips/popup.html

>

> You pop-up dialog widget will be called in the

> event handler for your TEXT button.

>

> Cheers,

>

> David

> --

> David Fanning, Ph.D.

> Fanning Software Consulting, Inc.

> Coyote's Guide to IDL Programming:<http://www.dfanning.com/>

> Sepore ma de ni thui. ("Perhaps thou speakest truth.")- Hide quoted text -

>

> - Show quoted text -

David,

Thank you very much.

My intension is to link the objects of two independent widgets.

Can I have a sample example with some description Please..

DO the needful.

Cheers,
Prahlaḁ V
