Subject: Re: Basic IDL/ENVI Input file/Apply calc/Output to new file Posted by Jeff N. on Sat, 07 Apr 2007 05:59:59 GMT

View Forum Message <> Reply to Message

On Apr 6, 10:34 pm, petersod...@gmail.com wrote:

- > I'm going to go ahead and apologize in advance for such a newbie
- > question, but I am *slowly* trying to learn the basics of how to write
- > ENVI functions. My particular problem is pretty simple, but I've been
- > trying to figure it out for far too long and need help. I simply want
- > to write a function that 1) opens a spectral library, 2) figures out
- > the dimensions of the file, 3) applies a calculation upon each spectra
- > and then 4) saves these manipulated spectra into a new spectral
- > library which has an appended name (for example, USGSSpecLib_appended)
- > and appropriate header file. Could someone give me an example of how
- > to do this?
- >
- > Thanks for your help!
- >
- > Dave

This should get you pretty close (there may be typos or syntax errors, this was off the top of my head):

- ;1) open the spectral library ;specify the filename (or use dialog_picfile(), envi_select, etc.) in_file = 'spectral_library_file.sli'
- ;Open the file envi_open_file, in_file, r_fid=fid
- ;2) get file dimensions and names of spectra envi_file_query, fid, spec_names=spec_names, ns=ns, nl=nl, file_type=file_type
 :(vou could also ask for nh (#bands) here, but since this is a
- ;(you could also ask for nb (#bands) here, but since this is a spectral
- ;library it would be 1.
- ;3) apply a calculation to the spectra
- spectra = envi_get_data(fid=fid, pos=0, dims=[-1,0,ns-1, 0, nl-1])
- ;the variable spectra now contains a 2D array, each row being one of the
- ;library spectra. you can now perform any kind of calculation you'd like.
- ;Lets assume you wanted to multiply every element of each spectrum by
- ;for the purposes of this exercise outdata = spectra * 2

;note that if you have a very large spectral library such that it's not ;efficient to hold them all in memory at once you can set up tiling routines.

;4)Save new spectral library outname = file_basename(in_file, '.sli') + '_appended.sli' openw, lun, outname, /get_lun writeu, lun, outdata free_lun, lun envi_setup_head, fname=outname, ns=ns, nl=nl, nb=1, interleave=0, \$ data_type = size(outdata, /type), offset=0, spec_names=spec_names, \$ file_type=file_type, /write, /open