Subject: Re: A Challenge?
Posted by Vince Hradil on Tue, 10 Jul 2007 16:31:03 GMT
View Forum Message <> Reply to Message

```
On Jul 10, 11:23 am, Conor <cmanc...@gmail.com> wrote:
> pro hello
> idl = $
> '---- |\ | '+$
> ' | |\| '+$
  ' | | )| '+$
 ' | |/| '+$
> '----- |/ | '
> pt = transpose(rebin(reform(byte(idl),5,14),1,14))
> dni = [$
> [ 8, 5, -1, 7, -9, 3],$
> [ 10, -7, 3, 3, 9, -8],$
> [ 6, 5, 6, -1, 7, -9],$
> [ 7, 11, 14, 12, -4, -8],$
> [ 0, 10, 10, -9, 1, -7],$
> [-11, 0, 7, -5, 7,-11],$
> [ 6, 0, -6, -5, 1,-11],$
> [10, -3, 4, -3, 3, -3]]
> tp = float(pt[abs(dni)])
> tp[where(dni ne 0)] *= (dni[where(dni ne 0)]/abs(dni[where(dni ne
> 0)]))
> tr47 = transpose(rebin(tp,1,8)*6)
> a=[1852404336,1953705076,1735289202,1954112040,1920215141,69 0566964]
> res=execute(string(byte(a,0,24)))
> end
>
> first one to figure out how it works wins. I expect it won't take
> very long though: ( This is my first attempt at obfuscated anything,
> and I don't think idl is very good for obfuscated programming. I'm
> hoping though that one of the experts out there might prove me wrong
> about that last point :)
```

Cool... Have you got a lot of time on your hands?