

---

Subject: Re: text positioning within multiple plots  
Posted by [David Fanning](#) on Tue, 10 Jul 2007 14:50:26 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

metachronist writes:

> May be this is already been discussed or trivial. In any case, I have  
> multiple plots that go into same page, and I would like to position  
> text within each of these sub windows, as they are plotted from within  
> a loop, while using !p.multi.  
> What is the best way to do it? For example, I have !  
> p.multi=[0,2,7,0,1]. Say, I would like to put the station codes inside  
> each of these 14 subwindows. I tried 'xyouts' with a bunch of  
> combinations, but didn't work. I was thinking that when we use default  
> data coordinates, then if we specify the location of each call to  
> xyouts based on "data" specific to that window, then it should put the  
> text at the correct location within that specific window. But it's  
> not?!

Well, I expect this is pilot error. Exactly \*when\*  
are you calling your XYOUTS command? If you do it  
directly after you draw each plot, I think it can't  
help but go in the right place. :-)

Cheers,

David

--

David Fanning, Ph.D.  
Fanning Software Consulting, Inc.  
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>  
Sepore ma de ni thui. ("Perhaps thou speakest truth.")

---