
Subject: Re: Ternary diagram

Posted by [robinson.inj](#) on Mon, 03 Sep 2007 15:51:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Sep 3, 6:13 am, Wox <nom...@hotmail.com> wrote:

> On Sat, 01 Sep 2007 18:23:07 -0000, robinson....@gmail.com wrote:

>> Dear all,

>> Does someone can show me (or point me out a link) how to generate
>> ternary diagrams/plots in IDL?

>> I will really appreciate your assistance.

>> Robinson

>

> There is nothing out there that I know of that generates ternary
> diagrams. I tried to make something myself ones. Maybe it'll get you
> started:

>

> function NormToTriangle,Anorm,Bnorm,Cnorm,AP,BP,CP

>

> ; equation line : $y=(x-x1).(y2-y1)/(x2-x1)+y1$ (2 points)

> ; $y=(x-x1).r+y1$ (rico+point)

>

> sqrt3=sqrt(3)

> n=n_elements(Anorm)

>

> PAx=CP[0]-0.5*Anorm

> PAy=CP[1]+(sqrt3*0.5)*Anorm

> ;rC = 0

>

> PBx=AP[0]-0.5*Bnorm

> PBy=AP[1]-(sqrt3*0.5)*Bnorm

> ;rA = -sqrt3

>

> PCx=BP[0]+Cnorm

> PCy=BP[1]*replicate(1,n)

> ;rB = sqrt3

>

> ; find point where these three lines cross

> ; (bad code, just checked two lines)

> Px=(-PAy+sqrt3*PBx+PBy)/sqrt3

> Py=(PBx-Px)*sqrt3+PBy

>

> return,{x:Px,y:Py}

> end;function NormToTriangle

>

;%%
%%

>

> pro TriangleConstr,AP,BP,CP,pfree,R=R,GAP=GAP,ArrowCoord=ArrowCo ord

```

>
> ; AP,BP,CP: corner coordinates
> ; pfree: procent of window size to leave free on one side of the
> triangle
> ; R: vertex length
> ; GAP: scale the trangle and leave gaps
> ; ArrowCoord: ArrowCoord
>
> ;
> ;      A
> ;    /\
> ;   /\
> ;  /\
> ; /\
> ; /\
> ; /\
> ; B_____C
>
> XS=!d.x_size
> YS=!d.y_size
>
> X0=XS/2.
> Y0=YS/2.
> XY0=X0<Y0
> R0=(1-pfree)*XY0
> R=R0*sqrt(3)
> Y0=Y0-0.25*R0
>
> dX=R*0.5
> dY=R0*0.5
> AP=[X0,Y0+R0]
> BP=[X0-dX,Y0-dY]
> CP=[X0+dX,Y0-dY]
>
> if keyword_set(GAP) then begin
>   ct=sqrt(3)*0.5
>
>   DR=(1-GAP)*XY0-R0
>   dX=dR*ct
>   dY=dR*0.5
>   dZ=dY*[ct,0.5]
>   dU=dY*[-ct,0.5]
>   dV=[0,-dY]
>
>   ArrowCoord=[[BP+dV],[CP+dV],[CP+dZ],$
>   [AP+dZ],[AP+dU],[BP+dU]]
> endif
>
> end;pro TriangleConstr
>

```

```

;%%%%%%%%%
%%%%%%%%%
>
> pro
> TernaryDiagram,Ain,Bin,Cin,ATitle=ATitle,BTitle=BTitle,CTitle=CTitle
>
> ; ----Check primary parameters----
> if not keyword_set(ATitle) then ATitle='A'
> if not keyword_set(BTitle) then BTitle='B'
> if not keyword_set(CTitle) then CTitle='C'
>
> nA=n_elements(Ain)
> nB=n_elements(Bin)
> nC=n_elements(Cin)
>
> if (nA eq 0) or (nB eq 0) or (nC eq 0) or (nA ne nB) or (nA ne nC)
> then $
>     message,'A,B,C dimensions are wrong.'
>
> ; ----Construct diagram----
> pfree=0.02
> gap=-0.1
> gap2=-0.2
> TriangleConstr,AP,BP,CP,pfree,R=R,GAP=gap,ArrowCoord=AC
> TriangleConstr,API,BPI,CPI,gap,GAP=gap2,ArrowCoord=AC2
>
> plots,[BP[0],CP[0]],[BP[1],CP[1]],/device,thick=2
> plots,[CP[0],AP[0]],[CP[1],AP[1]],/device,thick=2
> plots,[AP[0],BP[0]],[AP[1],BP[1]],/device,thick=2
> xyouts,BPI[0],BPI[1],BTitle,/device
> xyouts,CPI[0],CPI[1],CTitle,/device
> xyouts,API[0],API[1],ATitle,/device
> arrow,AC[0,0],AC[1,0],AC[0,1],AC[1,1]
> arrow,AC[0,2],AC[1,2],AC[0,3],AC[1,3]
> arrow,AC[0,4],AC[1,4],AC[0,5],AC[1,5]
>
> xyouts,(AC2[0,4]+AC2[0,5])/2,(AC2[1,4]+AC2[1,5])/2,BTitle+'
> %',/device,ORIENTATION=60
> xyouts,(AC2[0,0]+AC2[0,1])/2,(AC2[1,0]+AC2[1,1])/2,CTitle+'
> %',/device,ORIENTATION=0
> xyouts,(AC2[0,2]+AC2[0,3])/2,(AC2[1,2]+AC2[1,3])/2,ATitle+'
> %',/device,ORIENTATION=-60
>
> ; ----Derive coordinates----
>
> ; sum must be 1, then scale between 0-R
> sum=float(Ain+Bin+Cin)
> Anorm=Ain/sum*R

```

```

> Bnorm=Bin/sum*R
> Cnorm=Cin/sum*R
>
> data=NormToTriangle(Anorm,Bnorm,Cnorm,AP,BP,CP)
> plots,data.x,data.y,psym=2,/device
>
> ; ----Grid----
> n=10
> m=n-1
> ind=(indgen(1,m)+1.)/n
> rind=reverse(ind,2)
> zero=replicate(0.,1,m)
>
> ;CA
> Anorm=[zero,ind]*R
> Bnorm=[ind,zero]*R
> Cnorm=[rind,rind]*R
> data=NormToTriangle(Anorm,Bnorm,Cnorm,AP,BP,CP)
> for i=0,m-1 do $
>     plots,data.x[* ,i],data.y[* ,i],linestyle=1,/device
>
> ;AB
> Anorm=[ind,ind]*R
> Bnorm=[zero,rind]*R
> Cnorm=[rind,zero]*R
> data=NormToTriangle(Anorm,Bnorm,Cnorm,AP,BP,CP)
> for i=0,m-1 do $
>     plots,data.x[* ,i],data.y[* ,i],linestyle=1,/device
>
> ;BC
> Anorm=[rind,zero]*R
> Bnorm=[ind,ind]*R
> Cnorm=[zero,rind]*R
> data=NormToTriangle(Anorm,Bnorm,Cnorm,AP,BP,CP)
> for i=0,m-1 do $
>     plots,data.x[* ,i],data.y[* ,i],linestyle=1,/device
>
> end;pro TernaryDiagram
>
;%%%%%%%%%%
%%%%%%%%%% %%%%%%%%%% %%%%%%%%%% %%%%%%%%%% %%%%%%%%%% %%%%%%%%%% %%%%%%%%%% %%%%%%%%%% %%%%%%%%%% %%%%%%%%%%
>
> pro example
>
> window
> A=[20,50,25,20]
> B=[30,0,25,70]
> C=[50,50,50,10]

```

```
>  
> TernaryDiagram,A,B,C  
>  
> end;pro example
```

Dear Wox, I knew that wouldnt be easy. As you showed :-O Thank you
very much.
Robinson
