
Subject: Re: Unsolved indexing problem 2 weeks ago.
Posted by [Jean H.](#) on Mon, 10 Sep 2007 15:56:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

Harry,

I believe you would have to read your data 5 by 5 (or whatever), do this in the for loop, setting a step of 5. Then, select data from i to i+5. try to compute your average value (using where data gt -999). If there is no valid data, write -999 as the new value. At last, you can write the new data in the new array, 5 at a time again.

Jean

DirtyHarry wrote:

> G'day, Everyone!

>

> I posted this question about 2 weeks ago, but I couldn't make it at
> that time. I was so urgent and I just finished with the way of the Old
> Stone Age. I spent several hours to finish up this things with MS
> Excel... T.T. However, I got a chance to do the same thing, I want to
> make it with IDL this time. Please give me any idea.

>

> What I am trying to do now is to read in 16 lines at one time and
> compare the values of the second column for all 16 lines. Then, I
> either extract the one good value for output or I set the output to be
> unchanged. Once I've figured out what I want to output, I output all
> 16 lines at once and output the same value to the third column for
> each line.

>

> This exmaple data file is simplified for test simulation. With this
> file, I am testing with 5 lines instead of 16.

>

> aaa.txt
> 01 -999.9
> 02 -999.9
> 03 -999.9
> 04 0.13
> 05 -999.9
> 06 -999.9
> 07 0.17
> 08 -999.9
> 09 -999.9
> 10 -999.9
> 11 -999.9
> 12 -999.9
> 13 32.77
> 14 -999.9

```

> 15 -999.9
>
> This is the array that I want to make.
>
> 01 -999.9 0.13
> 02 -999.9 0.13
> 03 -999.9 0.13
> 04 0.13 0.13
> 05 -999.9 0.13
> 06 -999.9 0.17
> 07 0.17 0.17
> 08 -999.9 0.17
> 09 -999.9 0.17
> 10 -999.9 0.17
> 11 -999.9 -999.9
> 12 -999.9 -999.9
> 13 32.77 32.77
> 14 -999.9 -999.9
> 15 -999.9 -999.9
>
> I coded as shown below. However, As Conor pointed out 2 weeks ago, I
> am doing something different. I have changed several part of this
> code, but my trial has not been successful so far. Please give me any
> idea, recommendable functions, indexing tips, etc... Thanks.
>
> Harry
>
> -----
> pro albedo_final
> close, /all
> data1 = 'D:\MODIS_ALL\aaa.txt'
> num_data = file_lines(data1)
> albedo_arr = fltarr(2, num_data)
> albedo_fin = fltarr(3, num_data)
> albedo_OK = 0.0
>
> openr, 2, data1
> readf, 2, albedo_arr
> close, 2
> c1 = 0
>
> openw, 1, 'bbb.txt'
>   for i= 0, num_data-1 do begin
>
>       dd = 5*(c1+1) +1
>       if albedo_arr[0, i] lt DD then begin
>           if (albedo_arr[1,i] gt 0 and albedo_arr[1,i] lt 1) then
> begin

```

```

>         albedo_OK = albedo_arr[1,i]
>         print, albedo_OK
>     endif
>     albedo_fin[0:1, i] = albedo_arr[0:1, i]
>     albedo_fin[2, i] = albedo_OK
> endif
>     c1 = c1+1
> endfor
> print, albedo_fin
> ;printf, 1, albedo_fin
> ;close, 1
> print, " It's done!"
> end
>
> This is the last result.
>
> 1.00000  -999.900  0.000000
> 2.00000  -999.900  0.000000
> 3.00000  -999.900  0.000000
> 4.00000   0.130000  0.130000
> 5.00000  -999.900  0.130000
> 6.00000  -999.900  0.130000
> 7.00000   0.170000  0.170000
> 8.00000  -999.900  0.170000
> 9.00000  -999.900  0.170000
> 10.0000  -999.900  0.170000
> 11.0000  -999.900  0.170000
> 12.0000  -999.900  0.170000
> 13.0000  -999.900  0.170000
> 14.0000  -999.900  0.170000
> 15.0000  -999.900  0.170000
>

```
