

---

Subject: Re: Seasonal Variation in Trend Analysis  
Posted by [David Fanning](#) on Fri, 28 Sep 2007 14:34:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

wita writes:

- > You may want to have a look at the IDL implementation of the HANTS
- > (Harmonic Analyses of NDVI Time Series) algorithm I wrote. The code is
- > available at: <http://www.ittvis.com/codebank/search.asp?FID=333>
- >
- > Basically HANTS searches for the seasonality rather than removing it,
- > but the principle is the same.

Thank you. This is very helpful.

When I initially ran the example program in `cgi_fftnvdi.pro`  
I got thrown into an infinite loop. I killed the process and  
moved the CATCH, /CANCEL in your error handler to the *\*first\**  
line after the CATCH, and then the program ran perfectly.

To test, I set it back where it was before, and the program  
*\*still\** ran fine! So, I don't know what that is all about.  
But I do feel more comfortable having that CANCEL as the  
first line after a CATCH to avoid these kinds of problems. :-)

Cheers,

David

--

David Fanning, Ph.D.  
Fanning Software Consulting, Inc.  
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>  
Sepore ma de ni thui. ("Perhaps thou speakest truth.")

---