
Subject: Re: stippling or cross hatching in contour plot
Posted by [David Fanning](#) on Mon, 08 Oct 2007 16:28:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

MA writes:

> Still, the problem remains that c_orientation will apply its hatching
> to all levels above the ones specified. Run the code above and see
> what I mean.

Humm. You may be right. OK, we have to be more creative. :-)

I didn't understand your example, but here is another
that demonstrates how to get cross-hatching on top of
colors. The cross-hatching appears to me to be exactly
where I expect it to be.

Cheers,

David

```
.*****  
,  
;; create some data  
array=dist(10,10)
```

```
Window,2  
loadct,2  
;; contour data with color  
loadct, 33, ncolors=5, bottom=1  
device, decomposed=0, get_decomposed=theState
```

```
thisDevice = !D.Name  
xsize = !D.X_Size  
ysize = !D.Y_Size  
Set_Plot, 'Z'  
Device, Set_Resolution=[xsize,ysize], Z_Buffer=0  
contour,array,levels=indgen(5),c_colors=indgen(5)+1,/fill, $  
  xstyle=1, ystyle=1, position=[0.1, 0.1, 0.9, 0.9]  
;; try to put hatching on top  
locx = [0.1, 0.9] * xsize  
locy = [0.1, 0.9] * ysize  
snap1 = TVRD(locx[0], locy[0], locx[1]-locx[0]+1,  
  locy[1]-locy[0]+1)  
  
contour, array,levels=[0,2.5,5.0],/overplot, $  
  c_orientation=[45,-45,0]  
snap2 = TVRD(locx[0], locy[0], locx[1]-locx[0]+1, $  
  locy[1]-locy[0]+1)
```

```
Set_Plot, thisDevice
contour,array, xstyle=1, ystyle=1, /NoData, $
    position=[0.1, 0.1, 0.9, 0.9],
TV, snap1 > snap2, locx[0], locy[0]
device, decomposed=theState
end
.***** ***
,
```

--

David Fanning, Ph.D.
Fanning Software Consulting, Inc.
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
