

---

Subject: Re: Interpolation of velocity Grid

Posted by [ben.bighair](#) on Tue, 20 Nov 2007 23:26:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On Nov 20, 5:26 pm, byrne.da...@gmail.com wrote:

> Hi Guys,

>

> I have a quick question about an IDL problem i'm having and I can't  
> seem to work out a clever way of achieving what I want to do. I was  
> wondering if you had any ideas for me.

>

> My problem is that I need to interpolate an irregular velocity field  
> grid to a regular one and for the life of me i can't work out how to  
> do it.

>

> Ok for example I have two arrays, in one array I have all the global  
> coordinates of the bases of my vectors and in the other all the global  
> coordinates tips of my vectors with the origin reference at (0,0).

>

> So lets say base=(2, 30000) array and tip=(2,30000)

>

> Now I want to put these vectors onto a regular grid and lets say the  
> maximum global coordinate is 3000.

>

> So I need to interpolate these vectors onto a (3000,3000) Grid with  
> the velocities defined at each point. I guess some kind of  
> interpolation to fill in flow field between the sampled data is needed  
> but i'm not sure of how to achieve this.

>

> I guess the best way to visualise the problem is if you think of a  
> swimming pool with some sort of flow. Now you sample the flow at  
> irregular points with some kind of imaging technique. Now you need to  
> regularise that grid of irregularly spaced vectors onto a regular grid  
> the size of the image that you took. So it needs some kind of  
> interpolation between data points.

>

Hi,

I am a little out of my area, but wouldn't you want to interpolate two  
grids? The first for the magnitudes of the sample vectors and the  
second one for the direction. IDL has lots of 2d interpolation  
schemes and GRIDINPUT and GRID\_DATA are probably the handiest. One  
you have the two grids, you could use the PLOT\_FIELD routine to take a  
peek at the result.

Hope that helps.

Ben

---