
Subject: Re: Custom formatting under version 7.0?
Posted by [sbolin42](#) on Thu, 06 Dec 2007 20:21:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Dec 6, 11:38 am, "mgal...@gmail.com" <mgal...@gmail.com> wrote:
> On Dec 6, 9:54 am, "Jim Pendleton, ITT Visual Information Solutions"
>
> <jimp@no_spam.ittvis.com> wrote:
>> To follow up on Doug's comment, creating templates for IDLdoc-style
>> comments also helps discourage laziness in documenting one's code.
>> Now if only I could attach keyboard accelerators to individual template
>> insertion commands...
>
> I've created some templates for writing classes/subclass (getProperty,
> setProperty, cleanup, init, and __define, plus comment headers). Very
> handy. My one issue is that it indents every line, so I have to select
> all and move left. I don't see a way to fix that (and ITT VIS's
> function and procedure templates do it too).
>
> Mike
> --www.michaelgalloy.com
> Tech-X Corporation
> Software Developer II

Mike,

It should insert the template at the current cursor position. If you are in column 1 of the editor when you select CTRL+SPACE, and then pick your template, it should insert it beginning in column 1. This is not the behavior you are seeing?

--
Scott Bolin
ITTVis
