Subject: Re: multiple plots and pages to ps file Posted by David Fanning on Wed, 23 Jan 2008 19:54:37 GMT

View Forum Message <> Reply to Message

David Fanning writes:

> knielsen73@gmail.com writes: > >> I am trying to output a ps file with 8 plots per page and several >> pages. However, my program only make one plot and then go to a new >> page. My program looks something like this: >> >> SET_PLOT, 'ps' >> DEVICE, /landscape,xsize=25,ysize=18,yoffset=28.5 >> LOADCT,13 >> DEVICE,/color,bits=8 >> !P.FONT=0 >> DEVICE, filename='output.ps' >> !P.MULTI=[0,2,4] >> loop, where I open each data file... >> FOR... >> Contour procedure >> ENDFOR >> DEVICE,/CLOSE > The code that's drawing your contour plot must be doing > something weird. There is nothing wrong with this code. :-)

I would guess your Contour procedure code has an ERASE in it that is not being protected for PostScript. If it is there, it should be written like this:

IF (!D.FLAGS AND 256) NE 0 THEN ERASE

Cheers,

David

--

David Fanning, Ph.D.
Fanning Software Consulting, Inc.
Coyote's Guide to IDL Programming: http://www.dfanning.com/

Sepore ma de ni thui. ("Perhaps thou speakest truth.")