

Dear all,

There is an example about the signal filter which is given in this group.

But I have some questions about it, and I hope that anyone can unpuzzle them.

The code of the example is as follows:

```
; Time domain
freq1=2.
freq2=3.
freq3=4.
dtime=0.1
ntime=1000
time=dtime*findgen(ntime)
signal=sin(2*!pi*freq1*time)+sin(2*!pi*freq2*time)+sin(2*!
pi*freq3*time)

; Frequency domain
nfreq=ntime/2+1
freq=findgen(nfreq)/(dtime*ntime)
fsignal=fft(signal)

; Time domain Filter
f_low = 0
f_high = 2.5
timefilter = DIGITAL_FILTER(f_low*2*dtime, f_high*2*dtime, 50.,40)
signal=convol(signal,timefilter)

; Time domain Filter in Frequency domain
ntime2=n_elements(timefilter)
nfreq2=ntime2/2+1
freq2=findgen(nfreq2)/(dtime*ntime2)
ftimefilter=fft(timefilter,1); == ntime2*fft(timefilter)

; Frequency domain filter (instead of time domain filter)
steep=50.
freqfilter= 1./(1.+(freq/f_high)^steep)
fsignal*=freqfilter

; Plot
window,0
plot,freq,abs(fsignal[0:nfreq-1])^2,xtitle='frequency',ytitle='spectrum',title='Time
domain filtered'
```

```
window,1
plot,freq,abs((fft(signal))
[0:nfreq-1])^2,xtitle='frequency',ytitle='spectrum',title='F req domain
filtered'
window,2
plot,freq,abs(freqfilter)^2,yrange=[0,1.1],ystyle=1,xtitle=' frequency',ytitle='spectrum',title='Filters'
oplot,freq2,abs((ftimefilter)[0:nfreq2-1])^2,col=128
```

In this example, $\max(\text{abs}(\text{fsignal}[0:\text{nfreq}-1])^2) = 0.249995$ and
 $\max(\text{abs}((\text{fft}(\text{signal}))[0:\text{nfreq}-1])^2) = 0.211242$.

The peak of spectra in window 0 is not equal to it in window 1.

Does this difference between them result from the arithmetical errors
of the filters?

Is there any methods to eliminate it?

```
> ftimefilter=fft(timefilter,1); == ntime2*fft(timefilter)
```

Besides, I don't know why you use the inverse transform instead of the
forward transform in IDL to caculate ftimefilter.

Du
