
Subject: Re: Difficult Label_region question

Posted by [moxament](#) on Thu, 24 Apr 2008 23:43:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Apr 24, 11:55 am, "mgal...@gmail.com" <mgal...@gmail.com> wrote:

> On Apr 24, 6:32 am, moxam...@gmail.com wrote:

>

>

>

>> On 24 Áđñ, 02:33, Gaurav <selfishgau...@gmail.com> wrote:

>

>>> But, of course, you will benefit greatly by reading about the WHERE

>>> function. It will cut a lot of your processing time if you are running

>>> loops (as it appears to be from the subscripts in your code).

>

>>> Cheers

>>> Gaurav

>

>> Thank you for the help. Your suggestions are good, but I think you did

>> not understand what I wanted exactly. I want to use the label_region

>> in order the imnew to contain three segments. The first segment

>> contains pixels from the first channel, the second segment contain

>> pixels from the second channel, and the third segment contains pixels

>> from the third channel. Having used the label_region I can tv the

>> imnew by giving one pseudo color to each segment (I do not know how to

>> do that as will).

>

> Not sure what you want, but is this close?

>

> m = max(im, ind, dimension=3)

> band = ind / (300 * 300)

>

> device, decomposed=0

>

> tvlct, 255, 0, 0, 0

> tvlct, 0, 255, 0, 1

> tvlct, 0, 0, 255, 2

>

> tv, band

>

> Mike

> --

> Tech-X Corporation

> Software Developer II

Not exactly but the tvlct helped me, I did not know it. Thank you very much

