Subject: Re: Project sav file in 7.0 Posted by helaha on Tue, 03 Jun 2008 11:07:18 GMT

```
View Forum Message <> Reply to Message
On 2 Jun., 22:28, Robert Moss <robert.m...@gmail.com> wrote:
> On Jun 2, 9:28 am, hel...@gmx.net wrote:
>
>> It hasn't been possible for me to create a sav file from a project
>> with several routines since version 7.0. I read the tech tips
>> carefully and tried it accordingly, but without success. The problem
>> is always that there aren't all routines resolved. The file gets
>> bigger if the command ITResolve is included and then the itools work,
>> that's OK. I tried to store all the routines into one single folder,
>> but without success. Sometimes, but not always small red crosses
>> appear in the project window on some routines? Even more, the sav file
>> doesn't have always the same size. Is there an issue with lower case
>> letters and capitalized letters? I had no problems before version 7.0.
>> Does anybody have a clue?
>> Thanks for any hint,
>> Helmut Ahammer
  There are two confirmed bugs with in IDL 7.0.1 that as far as I know
> have not been mentioned here in the newsgroup. I know they are bugs
 because I was working with ITTVIS on Friday to try and identify them
  and possibly resolve them.
>
 Bug 1: Checking the box to "build your project in another IDL session"
> can cause only SOME of your files to be compiled. I have not narrowed
> this down to the exact circumstances where this happens, but it
> definately DOES happen. In my case it is easily solved by NOT electing
> to compile in a separate project. I suspect this may be the problem
> you are seeing. You can try using the .RESET_SESSION option instead,
 or perhaps better yet just start a clean session of IDL if you want to
> build a clean sav file.
>
  Bug 2: When you import a project from an existing directory in the
> file system, and you select the check box that says to update your IDL
> path when opening and closing the project, the directory that was
 imported is added to your !PATH, but it is NOT removed automatically
> as it should be. I suspect this may be one of the causes for much
  complaining I have seen on this group.
>
>
 Allow me to clarify: I imported a directory into my project, which
> means I am using an existing directory to hold my project files. I did
> NOT copy the files into my workspace. There is a directory created in
> my workspace which holds a couple of things (like the sav file I
```

> create when I build it, and a .profile), but the source code remains

- > in the filesystem at its original locations. I personally like this
- > option for reasons I will not bore you with. I selected the "update
- > my !path..." bit so that the workbench would automatically see when
- > things in my source code tree changed. It dutifully adds two things to
- > my !PATH: the directory it created in my workspace, and the directory
- > which I imported (out in the file system). When I close the project,
- > it removes the directory in the workspace (as it should), but it does
- > NOT remove the directory from out in the file system. This is a bug,
- > and it seems to me could cause much hair pulling and gnashing of
- > teeth.

>

- > ITTVIS is aware of both of these problems and is working to address

>

- > Robert Moss, Ph.D.
- > EOIR Technologies Inc.

Thank you very much for your suggestions. I changed all my filenames to lower case and I deleted all additional !Path entries. Now !Path contains the standard IDL paths and additionally only the path pointing to the project directory. Nevertheless it doesn't work. But I think it's still a "path" problem because I realized following behaviour. If I run the project and start a specific routine (which wasn't included in the sav file at first), it appears that this specific routine is correctly included, when the sav file is created afterwards.

Many thanks so far, Helmut Ahammer