
Subject: Re: not seeing the added values in widget_table?

Posted by [yoyoteng](#) on Fri, 06 Jun 2008 20:54:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Wow, I did not know that you can set 'Table_YSize'!

This was how I 'solved' it...

```
Table = WIDGET_TABLE(base, .....,/SCROLL , YSIZE=100,  
Y_SCROLL_SIZE=10 )
```

But your solution is definitely much better!

Thanks!

On Jun 6, 12:23 pm, Jean H <jghas...@DELTHIS.ucalgary.ANDTHIS.ca> wrote:

> yoyoteng wrote:

>> One question for those of you who have been using widget_tables,

>

>> The table that I'm creating needs to have a fixed (screen) size.

>> Initially, there is nothing to show on the widget_table, but later on,

>> I will need to show array[100] in the table.

>

>> When creating the table, I have added Y_SCROLL_SIZE=3, /SCROLL to fix

>> the size and enable the scroll. "During" the program, I have used the

>> "Set_Value" and "Get_value" to confirm that the data is correctly

>> passed into the table, however, I cannot scroll down to view the rest

>> of the data.

>

> >table1 = WIDGET_TABLE(base, VALUE=data, /ROW_MAJOR, \$

> > ROW_LABELS=", COLUMN_LABELS=", \$

> > /RESIZEABLE_COLUMNS, /SCROLL, Y_SCROLL_SIZE=3)

>

>> WIDGET_CONTROL, table1, set_value=data

>

> Hi,

>

> this behavior is counter-intuitive, and may be bogus (as it does not
> follow the content of the help file).

> If you use widget_control this way, you should select the cells to be
> updated firsts (add some row, select them, then set the value).

>

> However, if you do:

> data = [d0, d1 , d2, d3,d0, d1, d2, d3,d0, d1, d2, d3,d0, d1, d2,d3]

> WIDGET_CONTROL, table1, set_value=data, Table_YSize = n_elements(data),

> then you will see everything...

>

> Jean
