
Subject: Re: setting histogram bin sizes?

Posted by [dasergatskov](#) on Sat, 26 Jul 2008 19:33:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Jul 22, 10:52 am, "Jeff N." <jeffnettles4...@gmail.com> wrote:

> Hi folks,

>

> I'm looking for suggestions for a way to set bin sizes for a histogram
> when I don't know much about the data before calculating the
> histogram. Here's my situation: I'm putting together some code that
> takes a hyperspectral image cube and extracts a series of one-band
> parameters from the cube (band depth at a certain wavelength, etc.).
> In trying to assess which of these parameters is most useful for our
> particular application i thought about calculating a histogram for
> each parameter. The problem is that these parameter images (one band,
> floating point images per parameter) will not necessarily fall into
> the same range. Many have possible values of 0 - 1, but they won't
> necessarily take up that entire range. Some however, will not have
> possible values of 0 - 1, but could instead have numbers in the 10s or
> even hundreds. Some parameters have values that are actually in log
> space.

>

> I know that I could simply set the NBINS keyword to HISTOGRAM(), but
> then the question would become how many bins to use? I did some quick
> searching, and there are a few attempts at calculating bin sizes or
> the number of bins on Wikipedia (<http://en.wikipedia.org/wiki/Histogram>). Short of any other information, i am going to use an
> equation from that page that is at least based on the standard
> deviation of the data. But, since I don't have a lot to go on, I
> would very much like to have input from anyone on this newsgroup who
> might have any suggestions for me.

>

> Thanks,

> Jeff

I found Kevin Knuth (<http://www.huginn.com/knuth/>) paper

Optimal Data-Based Binning for Histograms

<http://arxiv.org/abs/physics/0605197>

to be quite useful.

Sincerely,

Dmitri.

--
