
Subject: Re: Gradient Function

Posted by [ralfu](#) on Tue, 21 May 1996 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

In article <19960520.114958.988283.NETNEWS@WVNVN.WVNET.EDU>, jyoung@olie.wvnet.edu (Jason Young) writes:

> I am new to IDL and I am looking for a function that might speed
> up a procedure I am working on. I have a two dimensional array that has
> some data points mostly low values, but in places it jumps rather quickly
> to high values. I want to put zeros at the constant places and ones at
> the quick changes.
> It was suggested to me that I should try some kind of gradient
> function. I can probably create my own for IDL, but I wanted to know if
> there was any kind of function that might help in my efforts. I think the
> DERIV function might help, but maybe there is a more powerful function to
> examine these changes within the array.

I looked very low values in a 2D array and did this in the following way: first smoothing the array with SMOOTH, subtracting this from the real data, then looking in the remaining array for sharp features with the edge detecting SOBEL filter. Then I go with a loop through the resulting index array and locate the rectangular subarrays, which contain exactly one of the sharp minima I look for, this I get with MIN and WHERE.

Perhaps not the most elegant method, but it works for me.

Regards, Ralf

--

Ralf Utermann

Universitaet Augsburg (Germany),	Institut fuer Physik
Memmingerstr.6	"Speaking for me and nobody else"
D-86135 Augsburg	Phone: +49-821-598-3231
SMTP: Ralf.Utermann@Physik.Uni-Augsburg.DE	Fax: -3222
