
Subject: Re: what to make of read_interfile.pro ?

Posted by [David Fanning](#) on Wed, 29 Oct 2008 14:37:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

Mike writes:

- > In the code, there is a structure that handles image headers. Each
- > header has widget_base associated with it and the uvalue for that that
- > base is used to store the header data value. There is another
- > widget_base uvalue that is used to handle valid choices. This is in
- > an entirely non-gui procedure by the way. At the end of the
- > procedure, there is a loop that "widget_control, /destroy"s the
- > widget_bases.
- >
- > Anyone have an idea of why the author might have made that choice?
- > Were there no pointers in 1993? Maybe the original author
- > (Goldstein) just wanted to toy with us here in the future?
- >
- > Anyway, out of respect/fear/queasiness, I think I may let this
- > procedure rest in peace and write a header cleaner/fixer to stick in
- > between reading the header and interpreting it.

Ah, fond memories... :-)

Yes, before pointers there were "handles" in IDL, and before handles, there were user values of unrealized top-level base widgets. I can't remember now if I got this idea from Josh, or he got it from me. I probably got it from him, because he was an amazing programmer. But I know I was the one who started advertising it. And I remember David Stern coming to me one time after reading about "Using Pointers in IDL" on one of my IDL course brochures to find out just what the hell I was teaching people out there. The rest is history. :-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Sepore ma de ni thui. ("Perhaps thou speakest truth.")
