```
Subject: Re: usersym keywords -- why?
Posted by R.Bauer on Tue, 11 Nov 2008 08:57:59 GMT
```

View Forum Message <> Reply to Message

```
David Fanning schrieb:
> Christopher Thom writes:
>
>> Debugging some code today, I discovered what I would consider to be
>> strange behaviour. Although...maybe this is a "feature". Consider the
>> following:
>>
>> usersym, [-1, 0, 1, -1], [1, -1, 1, 1], thick = 20
\rightarrow plot, findgen(10), ps=8, thick = 2
>>
>> Is there any reason why usersym accepts thickness and color keywords? And,
>> more importantly, why the keywords passed to plot/oplot don't over-ride
>> them?
>>
>> I was using some symbols from the awesome symcat() library [thanks david!]
>> when I discovered this. The only workaround I could come up with was to
>> extend symcat() to accept and pass extra keywords to usersym...which now
>> gives me the even more confusing:
>>
\rightarrow plot, findgen(10), ps = symcat(11, thick = 20), thick = 2
>> If anyone can see a sane or (better!) elegant solution to the thickness
  madness I've been having all afternoon, I'd love to hear of it.
> I can't really make out what you think the problem is.
> I think IDL is doing exactly the right and expected thing
> here: if I make a user symbol, I don't want someone outside
> messing around with it.
>
  Why did you have to extend SYMCAT? It already takes the THICK
> keyword.
>
 Cheers,
>
>
 David
```

Just a quick question why isn't it passed by _EXTRA?

Reimar