Subject: Re: Solve memory problems
Posted by Guillaume Potdevin on Thu, 15 Jan 2009 12:10:29 GMT
View Forum Message <> Reply to Message

Hi!

I followed with great interest this discussion, as I sometimes run into the same sort of problems, though for other sort of applications.

For reason of commodity, I often use structures. Do structures require a contiguous space in memory? For example: does struct = {image1 : BYTARR(4000,5000), image2 : BYTARR(4000,5000) } require 8 bits * 4000 * 5000 * 2 of continuous space?

And, also the same question in the case of structure arrays: if we have struct_array = REPLICATE(struct, many_times)

Does struct_array require many_times the space for struct as contiguous space (in case struct needs a contiguous memory slot)?

But I see the immediate solution here to use arrays of pointers...

Guillaume.

```
On 14.01.2009 15:53, Jean H. wrote:
> Corinne.
> setting var=0 or *ptr var = 0 will have the same effect on memory.
> Now, let's say you have 10 bands, 4000*5000. If you try to create an
> array like this data = bytarr(4000,5000,10), you might run out of
> memory, or, for the same reason, can not create any other variable (not
> enough contiguous space in memory). With this example, you would need
> about 8 bits * 4000 * 5000 * 10 = 1 600 000 000 bits of contiguous
> memory. Now, if you use points, you can create an array of 10 pointers,
> each holding a band.
> ptr data = ptrarr(10)
> ptr_data[0] = ptr_new(bytarr(4000,5000))
> ptr_data[1] = ptr_new(bytarr(4000,5000)
> ....
> so now, the contiguous memory you need is only 8 bits * 4000 * 5000 =
> 160 000 000 bits.
> If band 2 has a different size, no problem:
 ptr data[2] = ptr new(bytarr(12,25))
>
> Jean
>
```