
Subject: Re: How to get windows id or title by clicking on it
Posted by [Jeanphi62](#) on Fri, 19 Jun 2009 02:44:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

To sum up :

I have to link the event tlb_kill_request_events with the function close_window.pro and the event kbrd_focus_events with the function test_window.pro (this function gives me the number of the window) so I tried :

```
tlb = widget_base(title="mywindow", MBAR=mbar, /col, $  
                  /tlb_kill_request_events, event_pro=close_window, $  
                  /kbrd_focus_events, event_pro='test_window')
```

but the software crashes.

If I just do :

```
tlb = widget_base(title="mywindow", MBAR=mbar, /col, $  
                  /kbrd_focus_events, event_pro='test_window')
```

the software obviously doesn't link the will to destroy the widget with the top right cross button with the function close_window anymore.

I tried to create parent and child structure :

```
tlb0 = widget_base(title="mywindow", $  
                   /tlb_kill_request_events, event_pro=close_window)  
tlb = widget_base(GROUP_LEADER=tlb0, $  
                  MBAR=mbar, /col, $  
                  /kbrd_focus_events, event_pro='test_window')
```

but, one more time, IDL only considers the second key word and doesn't link the will to destroy the widget with the top right cross button with the function close_window.

So what could I do to link with this widget_base both events ?

Thank you for advance

Cheers

Jeanphi
