
Subject: Re: String Array to 'regular' array?

Posted by [Craig Markwardt](#) on Wed, 05 Aug 2009 04:07:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Aug 4, 2:46 pm, David Fanning <n...@dfanning.com> wrote:

> Barbara writes:

>> Ok so here's the current issue. I created an average of a few images
>> the other day, and saved the images as an .isv file. I went to use
>> it, and realized I can't use half of the image because the numbers are
>> zeros. So I tried to just take a few rows of the image, and I get an
>> error every time. The image is a 1024x1024 image. But I get an error
>> that says:

>

>> % Attempt to subscript MF with <INT (123)> is out of range.

>> % Execution halted at: \$MAIN\$

>

>> (after I had input IDL> read2=mf[123,123])

>

>> Is there a way to fix this or do I have to re-average the images? And
>> if that's the case, how do I save it next time so I can use it after
>> having closed and reopened IDL?

>

> On my way to buy a sandwich, I have been trying
> to think of a way to explain this. Suppose you
> wanted to have a conversation with your Mother,
> who lives across town in a house with an address.
> File_Which will return the address of the house.
> It seems to me you are trying to have a conversation
> with the address, rather than with your Mother.

I think with enough alcohol I could have a conversation with an
address... :-)

Craig
