
Subject: Re: How to calculate the abscissa values for the given vertical values
Posted by [Maarten\[1\]](#) on Tue, 06 Oct 2009 11:04:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Oct 5, 6:26 pm, "Jean H." <jghas...@DELTHIS.ucalgary.ANDTHIS.ca>
wrote:

```
> x = findgen(1000)/1000*4*pi
> y = cos(x)
>
> Ytarget = 0
>
> ;Find the 2 consecutive points that are > and < of the Y threshold value
> ;(don't forget to deal where a point = the value)
>
> Xidx = where((y gt Ytarget and shift(y,1) lt Ytarget) or (y lt Ytarget
> and shift(y,1) gt Ytarget), count)
```

I think this is easier, and possibly faster:

```
Xidx = where((y-ytarget)*shift(y-ytarget,1) le 0, count)
```

The multiplication will only be negative if two points straddle the crossing. The value 0 will be repeated twice if one of the points matches exactly. These are easy to take out beforehand. The rest is as before.

```
> ;y = ax+b
> a = (y[xidx] - y[xidx+1]) / (x[xidx] - x[xidx+1])
> b = y[xidx]-a*x[xidx]
> Xsolution = (yTarget - b)/a
```

Maarten
