Subject: Re: How to calculate the abscissa values for the given vertical values Posted by pgrigis on Mon, 05 Oct 2009 14:55:01 GMT

View Forum Message <> Reply to Message

On Oct 5, 9:43 am, "dux...@gmail.com" <dux...@gmail.com> wrote:

- > Maybe my statement is not clear.
- > There is a function Y=F(X), and I want to calculate the correspondent
- > abscissa values X for Y=0.
- > It means that there are serval intersection points between the line Y=F
- > (X) and the horizonal line Y=0,
- > and I want to get the correspondent abscissa values of these points.

You should realize that what you *want* and what you can *achieve* are two different things. This is a hard problem for general F... I believe you should read chapter 9 (on root finding) of the numerical recipes book.

But - this problem becomes more easy if you do know something about the properties of your function - for instance if you can bracket your solutions - so maybe the question is, what do you know about F?

```
Ciao,
Paolo
```

>

```
> On Oct 5, 3:10 pm, Wox <s...@nomail.com> wrote:
>> On Mon, 5 Oct 2009 01:56:20 -0700 (PDT), "dux...@gmail.com"
>> <dux...@gmail.com> wrote:
>>> Hi, all.
>>> I want to calculate the abscissa values for the given vertical values.
>>> For example,
       x = findgen(1000)/1000*4*pi
>>>
       y = cos(x)
>>>
>>> I want to get the abscissa values for y=0.
>>> For this example, the results shoule be [!pi/2, 3*!pi/2, 5*!pi/2, 7*!
>>> pi/2].
>>> But how can I get it by IDL codes?
>>> Best wishes,
>>> jdu
>> Just for this function:
>> print,(indgen(ceil(max(x)/!pi))+1)*!pi/2
>
```

- >> What do you need exactly? You can always find the answer analytically >> no?
- >