
Subject: Re: ENVI's codes

Posted by [Hassan](#) on Wed, 25 Nov 2009 11:55:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Nov 23, 12:18 am, Jiek <676215...@qq.com> wrote:

> On Nov 23, 5:35 am, Hassan <hkhav...@gmail.com> wrote:

>

>> I used the following code to display the image:

>> image=read_tiff(file)

>> imagesize=[62,488,290]

>> DEVICE, DECOMPOSED = 0

>> LOADCT, 38

>> WINDOW, 0, XSIZE = imageSize[1], YSIZE = imageSize[2]

>> TV, Image(0,*,*), 0

>

>> but there are two problems: first it's displayed upside-down and

>> second the way it shows the image is quite different with other

>> softwares like ENVI, it's more like the image is shown in 256-color

>> table or something like that.

>

> I found a function to read ENVI image and it work well.As follows:

> pro read_envi_image, infile, img, xs, ys, type, offset, mapinfo

>

> ;

> ; Copyright (c) 2003,Institute of Photogrammetry and Remote Sensing, ;

> (IPF),

> ; Technical University of Vienna. Unauthorised reproduction

> prohibited.

> ;

> ;+

> ; NAME:

> ; read_envi_file

> ;

> ; PURPOSE:

> ; IDL program, which reads standard ENVI image files (*.img).

> ;

> ;

> ; CATEGORY:

> ; Input_Output

> ;

> ; CALLING SEQUENCE:

> ; read_envi_file, infile, img, xs, ys, type,offset

> ;

> ; INPUTS:

> ; infile - input file name

> ;

> ; OPTIONAL INPUTS:

> ; None

```

> ;
> ; KEYWORD PARAMETERS:
> ; None
> ;
> ; OUTPUTS:
> ; img - ENVI image file, 2D array
> ; xs - number of samples
> ; ys - number of lines
> ; type - image data type
> ; offset - headeroffset
> ; mapinfo - information on spatial resolution (spacing) and
> coordinates
> ; of upper left corner (ulx, uly)
> ;
> ;
> ; OPTIONAL OUTPUTS:
> ; None
> ;
> ; COMMON BLOCKS:
> ; none
> ;
> ; SIDE EFFECTS:
> ;
> ; RESTRICTIONS:
> ; None
> ;
> ; PROCEDURE:
> ;
> ; EXAMPLE:
> ;
> ; REMARKS
> ; None
> ;
> ; MODIFICATION HISTORY:
> ; Written by: Carsten Pathe, c...@ipf.tuwien.ac.at
> ; Date: 25.08.2003
> ;
> ;-
>
> image = infile
>
> header = strsplit(infile, '.', /extract)
> header = header(n_elements(header)-2)+''.hdr'
>
> openr, unit, header, /get_lun
>
> header_line = "
>

```

```

> while not eof(unit) do begin
>
> readf, unit, header_line
> tmp = strsplit(header_line(0), '=', /extract)
> header_keyword = strsplit(tmp(0), ' ', /extract)
>
> print, header_keyword
>
> if header_keyword(0) eq 'samples' then xs = long(tmp(1))
> if header_keyword(0) eq 'lines' then ys = long(tmp(1))
> if header_keyword(0) eq 'header' then offset = long(tmp(1))
> if header_keyword(0) eq 'data' then type = long(tmp(1))
>
> if header_keyword(0) eq 'map' then begin
>
> mapinfo_tmp=strsplit(tmp(1),'{',/extract)
> mapinfo_tmp=strsplit(mapinfo_tmp(1),',',/extract)
>
> mapinfo={ulx:0.,uly:0.,spacing:0.}
> mapinfo.ulx=mapinfo_tmp(3)
> mapinfo.uly=mapinfo_tmp(4)
> mapinfo.spacing=mapinfo_tmp(5)
>
> endif
>
> endwhile
>
> close,unit & free_lun, unit
> print, xs, ys
>
> if type eq 1 then img=bytarr(xs, ys)
> if type eq 2 then img=intarr(xs, ys)
> if type eq 4 then img=fltarr(xs, ys)
> if type eq 12 then img=uintarr(xs, ys)
>
> openr, unit,image, /get_lun
> point_lun, unit, offset
> readu, unit, img
> close, unit & free_lun, unit
>
> end

```

it's really useful code, thanks for that. although after running the code, it doesnt ask me for input file and it should be defined into the code but it should be straightforward to do that.