

---

Subject: Re: idlwave segfault

Posted by [Bruce Bowler](#) on Tue, 12 Jan 2010 20:36:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On Tue, 12 Jan 2010 11:22:10 -0700, savoie wrote:

> Bruce Bowler <[bbowler@bigelow.org](mailto:bbowler@bigelow.org)> writes:

>

>> You are correct, I didn't explicitly state that I tried that.

>>

>> I did try (and succeed) in launching and using IDL from a shell prompt

>> so it appears to me that it's strictly an idlwave problem, not a more

>> generic IDL issue.

>

> Bruce,

>

> Can you see if you have an old version of idlwave installed? M-x

> list-load-path-shadows

>

> When it crashes, what's left in the \*messages\* buffer, any clues there?

>

> Matt

M-x list-load-path-shadows puts the message "No Emacs Lisp load-path shadowings were found"

When "it" crashes "it" takes emacs along with it, so there's no way (that I know of) to look at the \*messages\* buffer.

--

```
+-----+-----+
Bruce Bowler      | I wouldn't live in California. All that sun makes
1.207.633.9600    | you sterile. - Alan Alda
bbowler@bigelow.org |
+-----+-----+
```

---