

---

Subject: Re: Mask ?

Posted by [pford](#) on Sat, 07 Sep 1996 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

In article <4vrkm3\$pt8@news.u-bordeaux.fr>, Mario Noyon <mnoyon> wrote:

> I want to mask the background of an image to have only the interesting signal.  
> The procedure of ERODE doesn't seem to work.  
>  
> Does someone have an idea?  
>  
> Thanks in advance.  
> --  
> NOYON Mario  
> Computer Science engineer  
> University of Bordeaux 2  
> mnoyon@jmc-luni.u-bordeaux2.fr

That depends on your background and signal. If you have a uniform background of value 50 or less then you could do :

$X = (X \text{ GT } 50) * X;$

Where X is an integer or byte array. Use 50.0 for a fltarr.

You could also filter the data using FFT or Wavelets to remove unwanted signal. You could take the Single Value Decomposition (SVDC function) to get the eigenvalues and eigenvectors and drop the signal that contributes only a small percentage to the total.

Patrick Ford, MD  
Department of Radiology  
Baylor College of Medicine  
Houston, Texas USA  
[pford@bcm.tmc.edu](mailto:pford@bcm.tmc.edu)

---