
Subject: Re: Open URL in external browser
Posted by [d.poreh](#) on Thu, 18 Feb 2010 08:47:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Feb 17, 3:13 pm, Rob <rob.webina...@gmail.com> wrote:

> On Feb 17, 1:38 pm, mgalloy <mgal...@gmail.com> wrote:

>

>

>

>

>

>> On 2/17/10 11:37 AM, Rob wrote:

>

>>> On Feb 17, 11:22 am, mgalloy<mgal...@gmail.com> wrote:

>>>> On 2/17/10 11:13 AM, Rob wrote:

Another suggested solution from a friend to my "open url in browser

> query" is given as:

> oJavaDesktop = OBJ_NEW('IDLJavaObject\$Static\$JAVA_AWT_DESKTOP',

> 'java.awt.Desktop')

> oJavaURI = OBJ_NEW('IDLJavaObject\$JAVA_NET_URI', 'java.net.URI',

> 'http://www.cnn.com/')
>

> if (oJavaDesktop->isDesktopSupported()) then begin

> oBrowser = oJavaDesktop->getDesktop();

> oBrowser->browse,oJavaURI

> OBJ_DESTROY, oBrowser

> endif

>

> ;Remove Objects

> OBJ_DESTROY, oJavaURI, oJavaDesktop

Hi Rob

Could you please tell us how the last method works in a widget?

Cheers

Dave
