Subject: Re: find max in 3D array -- slow Posted by Juggernaut on Mon, 12 Apr 2010 16:20:36 GMT

View Forum Message <> Reply to Message

```
On Apr 10, 12:03 pm, "Timothy W. Hilton" <hil...@meteo.psu.edu> wrote:
> Hello IDL users,
>
> I have a 1200x1200x2900 array of floats. The dimensions correspond to
> latitude x longitude x time. I need to find the maxium at each
> location -- that is, I need the 1200x1200 array containing the max
> along the 3rd dimsion. IDL takes almost 3 minutes to do this on my
> system. This seemed slow. I compared it with Matlab, which took ten
> seconds. Is there a better way to search for the maxima using IDL?
>
  The demo code I used to compare IDL and Matlab is below (with output).
>
  I'm wondering if I ought to switch to Matlab. I just spent a couple
  of days writing IDL code to read my data, so I'd rather not.
>
  Many thanks,
  Tim
>
>
>
>
> Timothy W. Hilton
> PhD Candidate, Department of Meteorology
> The Pennsylvania State University
> 503 Walker Building, University Park, PA 16802
> hil...@meteo.psu.edu
>
  =======
> scratch.pro:
>
> foo = randomu(0, 1200, 1200, 2920)
> PRINT, systime()
> foo_max = max(foo, DIMENSION = 3)
> PRINT, systime()
> END
> IDL> .run scratch
> % Compiled module: $MAIN$.
> Sat Apr 10 10:44:44 2010
> Sat Apr 10 10:47:36 2010
> IDL>
> ======
> scratch.m:
>
```

```
> foo = rand(1200,1200,2920);
> fprintf('%s\n', datestr(now()));
> foo_max = max(foo, [], 3);
> fprintf('%s\n', datestr(now()));
>>> scratch
> 10-Apr-2010 10:42:45
> 10-Apr-2010 10:42:55
In my experience for large arrays it's best to simply do the following
foo = randomu(0, 1200, 1200, 2920)
maxArray = fltarr(1200, 1200)
for i = 0, 2919 do maxArray = maxArray > foo[*,*,i]
```

Using IDLs routines is sloooow for this.