
Subject: Re: Could you explain why this happen?

Posted by [David Fanning](#) on Wed, 28 Apr 2010 17:06:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Bryan writes:

```
> This may be a stupid question, but I really want to know why.
> Please, see below and explain. Thanks.
>
> IDL> print, 132*30
>    3960
> IDL> print, 132*30*10
> -25936
> IDL> print, 132*300
> -25936
> IDL> data1 = 132
> IDL> data2 = 300
> IDL> data3 = data1*data2
> IDL> print, data3
> -25936
```

Here is a clue. These are the same IDL commands in my IDL session:

```
IDL> print, 132*30
    3960
IDL> print, 132*30*10
    39600
IDL> print, 132*300
    39600
IDL> data1 = 132
IDL> data2 = 300
IDL> data3 = data1*data2
IDL> print, data3
    39600
```

Probably the only difference between your IDL session and mine is that I have this command in my IDL startup file:

```
compile_opt defint32
```

Why would that matter?

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Sepore ma de ni thui. ("Perhaps thou speakest truth.")
