
Subject: Re: Calling fortran under unix
Posted by [dors](#) on Wed, 02 Oct 1996 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

You can also write your wrapper functions in FORTRAN if you are not into C. I can write FORTRAN and C but when taking a piece of existing FORTRAN code I find it much easier to stay in FORTRAN. And in this case FORTRAN has all the power you need (DEC FORTRAN does anyway). I politely disagree that writing in FORTRAN is a problem. Everyone has their own favorite language. They aren't the real limitation, any task can be done in any language, it is all a matter of efficiency.

Here are some test files for a very simple example, only passing longs and strings. Many more complicated examples could be created, but this should get the main point across. There is much documentation in the IDL manuals on all of this for many architectures. And I remember seeing some example files somewhere in the idl source tree.:

IDL:

PRO pass

```
a = long(10)
b = 'I can pass strings!!'
c = long(9)
print, 'calling FORTRAN'
result = CALL_EXTERNAL ('simple.so','simple_',a,b,c,VALUE=[0,1,0])
print, 'back in IDL'
print, 'result=', result
```

END

FORTRAN:

```
c  Interface routine
   function simple (argc, argv)
      INTEGER*8 argc, argv(*)
      INTEGER*4 temp1
      simple=sum (%VAL(argv(1)),%val(argv(2)),%val(argv(3)))
      return
   END

c  desired function
   function sum (a, b, c)
      integer*4 sum
      integer*4 a,c
      character*20 b

      print*, 'Executing FORTRAN'
```

```

print*, a
print*, b
print*, c
sum=a+c
print*, 'Leaving FORTRAN'
return
end

```

Here are the statements I used to compile (I know I have some extra libraries here but it is a compile statement I copied from another project and I don't feel like sorting through what is needed :^)) Also I assume you can do the same with the f90 compiler but I haven't used it yet.:

```

f77 -c -o simple.o simple.for
ld -o simple.so -shared simple.o -lUfor -lfor -lFutil -lm -lots -lc

```

Note 1: Make sure you think about the use of pass by value versus pass by reference when it comes to strings.

Note 2: Make sure you know the pointer size on your machine, on my DEC Alpha it is integer*8, if this is not true for your machine you will get a segmentation fault unless you make the appropriate changes.

Note 3: IDL will not pass integer*8's as data, there is no internal format for that, nor will it pass real*16's.

Good luck,

Eric

--

```

      \
      \ O,
      \____V)____/

```

```

~~~~~
\~~~~~
| Eric E. Dors          \ Internet: eric.dors@unh.edu |
| 203 Van Allen Hall   |                             |
| Iowa City, IA 52242  |                             |
=====
=====
| "if free particles were truly free..." |
| "they wouldn't be represented by bras, <k| " |
| ---oh no, how did a physics joke make it in here? :^) |
=====

```

=====