
Subject: Re: How do I plot two images with !P.Multi, while keep the aspect ration reflecting the image size

Posted by [chris_torrence@NOSPAM](#) on Thu, 19 Aug 2010 16:33:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi all,

I took a stab at doing this in IDL 8.0 with the new graphics:

```
READ_JPEG, FILEPATH('elev_t.jpg', SUBDIR=['examples','data']), data
```

```
x1 = 100 & w = 108
```

```
y1 = 100 & h = 128
```

```
width = 0.4
```

```
pos1 = [0.1, 0.1, 0.1 + width, 0.8]
```

```
aspect = float(w)/h
```

```
pos2 = pos1
```

```
pos2[0] = 0.6
```

```
pos2[2] = pos[0] + width*aspect
```

```
im1 = IMAGE(data, AXIS_STYLE=1, POSITION=pos1)
```

```
im2 = IMAGE(data, /CURRENT, POSITION=pos2, $  
  X RANGE=[x1,x1+w], Y RANGE=[y1,y1+h])
```

```
; Add a fancy box and lines showing the "subset" area
```

```
rect = POLYGON([x1,x1+w,x1+w,x1],[y1,y1,y1+h,y1+h], /DATA, $
```

```
  COLOR='red', FILL_BACKGROUND=0, TARGET=im1)
```

```
pt1 = im1.ConvertCoord(x1+w,y1+h, /DATA, /TO_NORMAL)
```

```
pt2 = im2.ConvertCoord(x1,y1+h, /DATA, /TO_NORMAL)
```

```
p = POLYLINE([pt1[0],pt2[0]],[pt1[1],pt2[1]], COLOR='red')
```

```
pt1 = im1.ConvertCoord(x1+w,y1, /DATA, /TO_NORMAL)
```

```
pt2 = im2.ConvertCoord(x1,y1, /DATA, /TO_NORMAL)
```

```
p = POLYLINE([pt1[0],pt2[0]],[pt1[1],pt2[1]], COLOR='red')
```

```
; Save the entire window to a PDF file
```

```
im1.Save, 'output.pdf'
```

Sorry it's a bit long. I got all fancy with the boxes and lines. But it looks nice.

-Chris
ITTVIS
