
Subject: Re: plotting two dimension grid array
Posted by [Peter Clinch](#) on Mon, 06 Sep 2010 09:38:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Pom wrote:

> On Sep 4, 8:43 am, Gray <grayliketheco...@gmail.com> wrote:
>> On Sep 4, 10:36 am, Pom <pom4...@gmail.com> wrote:
>>
>>> I have a two dimensions data set of
>>> FLTARR (num_point, nx , ny), I would like to plot this data into a 2D
>>> grid array
>>> of nx by ny. I would appreciate any tip.
>>> thanks,nixie.
>> Well, the array you create with this FLTARR call is not 2d, it's 3d.
>> Are you talking about a nx,ny array which is similar to an image? If
>> so, see SURFACE, CONTOUR, or TV. If not, can you give us some more
>> information?
>
> My data is not quite image data but 2D spectroscopy data, where
> num_point is the time domain and nx and ny are spatial in X and Y
> domain(dimensions).
> I need to create nx by ny voxel grid, and in each voxel grid displays
> time domain (num_point) data?
> thanks.

As above, I think SURFACE, CONTOUR or TV will be your friends, choosing between them according to exactly what works best for your particular data and who's getting what from it. You can also use the iSurface, iContour and ilmage itools.

Pete.

--

Peter Clinch Medical Physics IT Officer
Tel 44 1382 660111 ext. 33637 Univ. of Dundee, Ninewells Hospital
Fax 44 1382 640177 Dundee DD1 9SY Scotland UK
net p.j.clinch@dundee.ac.uk <http://www.dundee.ac.uk/~pjclinch/>
