
Subject: Re: 'loop limit expression too large for loop variable type' error

Posted by [pgrigis](#) on Tue, 31 Aug 2010 21:27:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Aug 30, 12:56 pm, Jeremy Bailin <astroco...@gmail.com> wrote:

> On Aug 30, 11:58 am, Chris Torrence <gorth...@gmail.com> wrote:

>

>

>

>> On Aug 30, 9:47 am, Paulo Penteado <pp.pente...@gmail.com> wrote:

>

>>> On Aug 30, 12:36 pm, Snow53 <jennifer_wa...@hotmail.com> wrote:

>

>>>> My code runs great on small data sets, but I'm trying to use it for

>>>> larger sets and I've started getting an

>>>> "loop limit expression too large for loop variable type' error when I

>>>> reach the "for j=0, num_ids-1 do begin". Why is this happening and

>>>> how can I fix it?

>

>>> It appears that num_ids is 2^16 or larger, which would overflow the

>>> loop variable initialized with the type int. Use instead

>

>>> for j=0L, num_ids-1

>

>>> Or add at the beginning

>

>>> compile_opt idl2

>

>>> or compile_opt defint32

>

>>> Assuming it would fit into a long (2^32).

>

>> Or you could upgrade to IDL 8.0, which automatically promotes the loop

>> variable to a long or long64 if the loop limit is greater than the

>> maximum value for the loop variable. If it isn't greater than the

>> maximum, then it leaves it alone.

>

>> Cheers,

>

>> Chris

>> ITTVIS

>

> Damn, that's going to seriously erode my perceived guru status, since

> easily half the questions I get boil down to this issue! ;-)

>

> -Jeremy.

Wow - it really starts to look like now *everybody* will be able to

use IDL right off the bat... unless we work hard to press ITT into introducing a few new additional obscure features designed to baffle the IDL noobs!

In the meantime I suggest we start feeding IDL noobs programs like the following in order to save the last scraps of our claims to elitism...

```
execute='(i=execute("&execute=execute(execute+""+$
'))--')&i$1i='print'&i1$i='scope_varname'&i2$i=' s'+$
'trtrim'&i$i='i'&i$i=i$i+'$i=('+i2$i+'(' +i1$i+'(' +$
i$i+')'+',' +i$i+'+++1))[0]&execute=execute(i$i)&i=$
' for '+i$i+' = '&execute=execute('i2$i='+i2$i+'('$
call_function(i2$i,execute) +',2')&execute=i+i2$i+$
',' +i2$i+i2$i+' do '+i$1i+','+i$i
execute=execute(execute)
```

Ciao,
Paolo
