
Subject: Re: FFT+inverse FFT

Posted by [David Fanning](#) on Sun, 05 Dec 2010 19:06:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

Natalya Lyskova writes:

```
> Hey! I'm a beginner at IDL and have problem with FFT. I'm trying to
> perform 2d-FFT but the code doesn't work properly even on test images.
> So I create an image, make the Fourier transform, then the inverse
> Fourier transform and finally I expect to get the initial image. But
> the resulting image is the initial one, reversed with respect to the
> center.
>
> My code:
> nx=256L
> x1=findgen(nx)-nx/2.0+1.0
> x2=findgen(nx)-nx/2.0+1.0
>
> ytest=fltarr(nx,nx)
> for i=0l,nx-1 do begin
>   for j=0l,nx-1 do begin
>     if (x1[i] le 20.0 and x1[i] ge 0.0 and x2[j] le 20.0 and x2[j] ge
>     0.0) then begin
>       ytest[i,j]=1.0
>     endif
>   endfor
> endfor
>
> ; So the initial image is a square in the right upper corner
>
> FFTtest=FFT(ytest)
> sh_FFTtest=SHIFT(FFTtest,nx/2.0-1.0,nx/2.0-1.0)
> inv_test=FFT(FFTtest,-1)
>
> ;The result is the square in the LEFT LOWER corner.
>
> I would be very grateful for comments/advices/solutions
```

I think you need to read the on-line help for the FFT function. :-)

Your code should look like this:

```
FFTtest = FFT(ytest, -1)
inv_test = Real_Part(FFT(FFTtest, 1))
```

Now ytest and inv_test are essentially the same.

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Sepore ma de ni thui. ("Perhaps thou speakest truth.")
