
Subject: Re: FSC_PLOT defaults

Posted by [Michael Galloy](#) on Fri, 24 Dec 2010 05:05:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

On 12/23/10 5:02 PM, wlandsman wrote:

> On Thursday, December 23, 2010 3:34:56 PM UTC-5, alx wrote:

>

>>

>> Please try:

>> IDL> p1 = plot(/TEST, STYLE_NAME='IDL classic')

>> IDL> p1.save, 'p1.ps'

>> IDL> p2 = plot(/TEST, STYLE_NAME='IDL standard')

>> IDL> p2.save, 'p2.ps'

>> then compare p1, p2 plots and PostScript files.

>> You can change nearly everything by using the style editor and create

>> your own style in a consistent way.

>

> Neat! The only problem is that I couldn't find STYLE_NAME in the documentation for PLOT(). (It is in the documentation for IPLOT but even there I couldn't find a list of the names of the system plot styles.) --Wayne

The two system plot styles are 'IDL Classic' (white on black) and 'IDL Standard' (black on white):

```
IDL iplot, findgen(11), style_name='idl classic'
```

or:

```
IDL> iplot, findgen(11), style_name='idl standard'
```

Mike

--

www.michaelgalloy.com
Research Mathematician
Tech-X Corporation
