
Subject: Re: MIP from BMP Images

Posted by [M R](#) on Thu, 14 Jul 2011 14:06:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Jul 13, 2:14 pm, Dick Jackson <d...@d-jackson.com> wrote:

> On Jul 13, 10:03 am, M <manishared...@gmail.com> wrote:

>

>> On Jul 13, 10:57 am, M R <manisha....@gmail.com> wrote:

>

>>> I apologize for the multiple postings.

>>> Regarding the image intensity, will the problem be solved if I use

>>> colored images?

>

> Hi,

>

> I'm still confused about whether these are grayscale, indexed or true-

> colour RGB images, but here's a tip if all you need is to get the

> maximum value from each pixel of a large set of images, where you

> can't fit them all in memory. Building on your last example:

>

> fil = file_search('filepath*.bmp',COUNT = count)

> result = read_bmp(fil[0]) ; Start with image from fil[0], don't

> need to read it again

> for i=1, count-1 do result = result > read_bmp(fil[i])

> TV, result

>

> end

>

> Cheers,

> -Dick

Hello All

I thank you all for helping me out with this problem. Unfortunately since IDL supports only 1GB data at a time, we have decided not use the existing data set (which is at >2GB). But I will definitely come back here for more help. Thank you once again!