
Subject: Re: Is there a work around to save multiple variables with same head but different tails without listing all of them?

Posted by [d.poreh](#) on Thu, 29 Sep 2011 13:26:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Sep 29, 5:45 am, "Brian J. Daniel" <Daniels...@yahoo.com> wrote:

> On Sep 29, 8:03 am, Dave Poreh <d.po...@gmail.com> wrote:

>

>

>

>

>

>

>

>

>

>> On Sep 29, 4:50 am, "Brian J. Daniel" <Daniels...@yahoo.com> wrote:

>

>>> On Sep 29, 5:10 am, voidspace <jhkim...@gmail.com> wrote:

>

>>>> Hello folks,

>

>>>> I have a question at beginner's level. When I saved multiple variables

>>>> with same head but different tails in IDL, I found it is tedious to

>>>> type all of them in as follows.

>

>>>> SAVE, sst_cccma_cgcm3_1, sst_cnrm_cm3, sst_csiro_mk3_0,

>>>> sst_gfdl_cm2_0, sst_gfdl_cm2_1, \$

>>>> sst_iap_fggoals1_0_g, sst_inmcm3_0, sst_ipsl_cm4,

>>>> sst_miroc3_2_medres, sst_mpi_echam5, \$

>>>> sst_mri_cgcm2_3_2a, sst_ncar_ccsm3_0, sst_ncar_pcm1,

>>>> sst_ukmo_hadcm3, sst_ukmo_hadgem1, \$

>>>> FILENAME='sst_cmip3_20c3m.sav'

>

>>>> The '/All' keyword may help, but there are more variables that I don't

>>>> want to save in. This aroused my curiosity, so I post my question here

>>>> to know whether there is a workaround.

>

>>>> In fact, I tried to find an advanced way by myself, but found it's

>>>> difficult to know without an expert's guidance.

>

>>>> An attempt with my best knowledge is as follows. As all model names

>>>> from 'cccma_cgcm3_1' to 'ukmo_hadgem1' are saved in a string array

>>>> 'model', I considered the 'EXECUTE' command.

>

>>>> One prior step I did was saving 15 variable names in one single string

>>>> array 'sst'.

>

```

>>>> IDL> sst=STRARR(N_elements(model))
>>>> IDL> FOR i=0, N_elements(model)-1 DO sst[i]='sst_'+model[i]
>
>>>> Now, 'sst' contains 15 different variable names that I want to save
>>>> in. Then, tried the following
>
>>>> IDL> result=EXECUTE("SAVE, FILENAME='sst_cmip3_20c3m.sav', "+sst[i] )
>
>>>> but in stuck because I have no idea how to make an implicit loop for
>>>> 'sst[i]'.
>
>>>> My attempt seems not a right way. I also thought it would be
>>>> convenient if there is implicit do-loop like (sst(i),i=1,15) in
>>>> Fortran, but I immediately got that it's nothing but a stupid idea.
>
>>>> I thought over and googled as well but all were in vain.
>
>>>> Can anybody suggest me a nice way to simplify the tedious command
>>>> aforementioned?
>
>>>> Best,
>>>> John
>
>>> You've already done the hard part, which is the string manipulation to
>>> create your 'sst' array. The final step is to use StrJoin to bring
>>> the array into one string joined by ', '. See below (UNTESTED).
>
>>> result=EXECUTE("SAVE, FILENAME='sst_cmip3_20c3m.sav', strJoin(sst,',
>>> ',/Single) )
>
>> Can you prepare a simple example? method seems quite good for me!
>> Cheers,
>> Dave
>
> pro save_variables_example
>
> ;create simple variables
> sst_cccma_cgcm3_1 = 1
> sst_cnrm_cm3 = 2
> sst_csiro_mk3_0 = 3
> sst_gfdl_cm2_0 = 4
> sst_gfdl_cm2_1 = 5
> sst_iap_fgoals1_0_g = 6
> sst_inmcm3_0 = 7
> sst_ipsl_cm4 = 8
> sst_miroc3_2_medres = 9
> sst_mpi_echam5 = 10
> sst_mri_cgcm2_3_2a = 11

```

```
> sst_ncar_ccsm3_0 = 12
> sst_ncar_pcm1 = 13
> sst_ukmo_hadcm3 = 14
> sst_ukmo_hadgem1 = 15
>
> sst = ['sst_ccma_cgcm3_1', 'sst_cnrm_cm3', 'sst_csiro_mk3_0', $
>       'sst_gfdl_cm2_0', 'sst_gfdl_cm2_1', 'sst_iap_fgoals1_0_g', $
>       'sst_inmcm3_0', 'sst_ipsl_cm4', 'sst_miroc3_2_medres', $
>       'sst_mpi_echam5', 'sst_mri_cgcm2_3_2a', 'sst_ncar_ccsm3_0', $
>       'sst_ncar_pcm1', 'sst_ukmo_hadcm3', 'sst_ukmo_hadgem1']
>
> Result = Execute('SAVE, FILENAME="sst_cmip3_20c3m.sav", '+ $
>       strJoin(sst, ', ', '/Single)+' , '/Verbose')
>
> END
```

Thanks Brian, it is very clever and for me works perfectly.

Cheers,

Dave
