

---

Subject: Re: IDLDE linux cannot create workspace  
Posted by [David Fanning](#) on Fri, 04 Nov 2011 18:48:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Jeremy Bailin writes:

>  
> Hi everyone,  
>  
> I never use the DE, so I have never encountered this, but one of my  
> students is trying to run it for IDL 8.0 on a Linux box (I think it's  
> RHEL, not sure what version) and we keep getting the following error on  
> startup:  
>  
> Workspace in use or cannot be created, choose a different one.  
>  
> It is not actually in use - if you give it a completely new directory,  
> it will pause for a minute and then give the same error ad infinitum.  
>  
> Command line works fine:  
>  
> IDL> print, !version  
> { x86\_64 linux unix linux 8.0 Jun 18 2010   64    64}  
>  
>  
> Anyone have any suggestions? Thanks.

Have you tried deleting the workbench config and preferences  
folders in the .idl/itt directory? Couldn't hurt, as long as  
you are willing to start over.

I'm not sure where you find these on LINUX. Probably in  
your ~/name directory.

Cheers,

David

--

David Fanning, Ph.D.  
Fanning Software Consulting, Inc.  
Coyote's Guide to IDL Programming: <http://www.idlcoyote.com/>  
Sepore ma de ni thui. ("Perhaps thou speakest truth.")

---