
Subject: Re: Plot

Posted by [d.poreh](#) on Fri, 09 Dec 2011 19:46:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Dec 9, 10:28 am, Dave Poreh <d.po...@gmail.com> wrote:

> On Dec 9, 8:09 am, Russell <rryan....@gmail.com> wrote:

>

>

>

>

>

>

>

>

>

>> As always, David's got it. But just in case you're not familiar with
>> the cg* stuff, then the old-fashioned xyouts will work just as well:

>

>> x = [0, 35, 70, 140]

>> y = [0, 196.7, 779.8, 37]

>> vals=[12006,12507,13008,14010]

>

>> names=string(vals,f='(I5)')

>

>> plot,x,y,ps=2

>> xyouts,x,y,vals

>

>> -R

>

>> PS, you can add all sorts of flags to xyouts to control where the text
>> appears (such as alignment=alignment where 0<alignment<1, and a few
>> others). Or you can get really fancy and measure the size of the text
>> for the plot, and position it with respect to that size...

>

>> On Dec 9, 10:06 am, Dave Poreh <d.po...@gmail.com> wrote:

>

>>> Folks

>>> hi,

>>> I have a data like this and i want to plot column 1 (x) and column 2
>>> (y) and column 3 as the name of the points on plot (like 12006, 12507
>>> etc.). Could somebody help please?

>

>>> 0 0 12006

>>> 35 196.7 12507

>>> 70 779.8 13008

>>> 140 37 14010

>>>

>>> Cheers,

>>> Dave

>

> Thanks. both works very good.

> Cheers,

> Dave

@ Dear Russell

Does xyouts work with IDL 8.0 or not?

Cheers,

Dave
