Subject: Re: Multiple parameters for ZEROFCN Posted by Rick Walton on Sat, 14 Jan 2012 12:27:26 GMT

View Forum Message <> Reply to Message

On Jan 3, 3:48 am, wlandsman <wlands...@gmail.com> wrote:

- > One problem with the built-in IDL functions based on IMSL or Numerical Recipes is that they don't accept _EXTRA keyword to supply additional parameters to user-supplied function.
- > One ugly but efficient workaround is to use a common block in your user function and the calling procedure to pass and modify the Y parameter.
- > Alternatively, you could find your zeros usinghttp://idlastro.gsfc.nasa.gov/ftp/pro/math/zbrent.pro
- > which does accept _EXTRA keywords (so your Y parameter would need to be accepted as a keyword). A couple of notes:
- > 1. ZBRENT requires one to first bracket the location of the zeros.
- > 2. I'm not sure that the function you supplied has any zero -- as opposed to discontinuities.
- > > --Wayne

>

Hi Wayne,

Thanks a lot for your response. The common block idea sounds like it would be the way forward for me as I need to remain in PV wave for consistency with other programs. I'm not familiar with how the calling procedure to pass and modify a parameter using the common block in PV wave. Would you be able to provide an example of how to do this? I have pasted a small section of my program and function to work with. It would be much appreciated.

FUNCTION, f, x RETURN, ((sinh((1.4 +x-0.25)/(0.4))/(sinh((x-0.25)/0.4)))-Y END

FOR i = 0, N-1 DO BEGIN Y(i)=C(i)/D(i) EPIresult(i)=ZEROFCN("F") ENDFOR END

Best wishes, Rick