
Subject: Re: textbaseline property not inherited by IDLgrText when specified in IDLgrAxis?

Posted by [Michael Galloy](#) on Thu, 12 Jan 2012 20:09:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

On 1/10/12 9:02 AM, Brian J. Daniel wrote:

```
> I'm relatively new to object graphics. I've been playing with Michael
> Galloy's mg_show_axes.pro routine and I wanted to extend his ability
> to reorient the labels to be readable when the user has rotated the
> axes. I wanted to extend that to the text labels on the axes
> themselves.
>
> Mike uses the textbaseline property of the axis object to do this.
> xaxis->setProperty, textbaseline=[(newTransform[2, 2] gt 0 ? 1 : -1),
> 0, 0]
> yaxis->setProperty, textbaseline=[0, (newTransform[2, 2] gt 0 ? 1 :
> -1), 0]
> zaxis->setProperty, textbaseline=[0, 0, (newTransform[1, 2] gt 0 ?
> -1 : 1)]
>
> where newTransform is the output of the trackball widget. Considering
> the text object is inherited by the axis object, I thought that this
> property would apply to the text object as well. Unfortunately, that
> is not the case. Therefore, in the same location as Mike applies the
> above transformation, I explicitly change the baseline property of the
> text object via:
>
> xaxis->getProperty, title=xText
> yaxis->getProperty, title=yText
> zaxis->getProperty, title=zText
> xText->setProperty, baseline=[(newTransform[2, 2] gt 0 ? 1 : -1), 0,
> 0]
> yText->setProperty, baseline=[0, (newTransform[2, 2] gt 0 ? 1 : -1),
> 0]
> zText->setProperty, baseline=[0, 0, (newTransform[1, 2] gt 0 ? -1 :
> 1)]
```

This works for me (at least in the same manner as for the tick mark value text, see below).

```
> xaxis->setProperty, title=xText
> yaxis->setProperty, title=yText
> zaxis->setProperty, title=zText
```

No need to do these lines though, [xyz]Text variables are references.

```
> This doesn't work either. Does anyone (cough, Dr. Galloy, cough) have
> any suggestions? Thanks.
```

Now make sure you understand that this example is somewhat limited in that it makes the text read in the correct direction, but does not swivel the text around so that it is right-side up. You would need to play around with the UPDIR property as well to make the text fully readable.

Mike

--

Michael Galloy

www.michaelgalloy.com

Modern IDL, A Guide to Learning IDL: <http://modernidl.idldev.com>

Research Mathematician

Tech-X Corporation
